

R<sup>3</sup> represents  $\text{-NHC(O)R}^{10}$ ;  $\text{-C(O)NR}^{11}\text{R}^{12}$  or  $\text{-COOR}^{12a}$ ;

$R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  each independently represent a hydrogen atom or a C<sub>1</sub>-C<sub>6</sub> alkyl group;

t is 0, 1 or 2;

each  $R^9$  independently represents halogen, cyano, hydroxyl, carboxyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted by at least one substituent selected from carboxyl and C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl;

~~$R^{10}$  represents a group C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, adamantyl, C<sub>5</sub>-C<sub>6</sub> cycloalkenyl, phenyl or a saturated or unsaturated 5- to 10-membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each of which may be optionally substituted by one or more substituents independently selected from nitro, hydroxyl, oxo, halogen, carboxyl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkylthio, C<sub>1</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl, phenyl and  $NHC(O)R^{13}$ , or~~

~~— $R^{10}$  represents a group  $NR^{14}R^{15}$  or  $OR^{16}$ ;~~

$R^{11}$  and  $R^{12}$  each independently represent (i) a hydrogen atom, (ii) a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur and optionally further comprising a bridging group, the ring being optionally substituted with at least one substituent selected from halogen, hydroxyl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl and C<sub>1</sub>-C<sub>6</sub> haloalkyl, (iii) a C<sub>1</sub>-C<sub>6</sub> alkyl group optionally substituted by at least one substituent selected from halogen, amino, hydroxyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, carboxyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub> alkylcarbonylamino and a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur and optionally further comprising a bridging group, the ring being optionally substituted with at least one substituent selected from halogen, hydroxyl, oxo (=O), C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl and C<sub>1</sub>-C<sub>6</sub> haloalkyl, or (iv) C<sub>1</sub>-C<sub>6</sub> alkylsulphonyl, or  $R^{11}$  and  $R^{12}$  together with the nitrogen atom to which they are attached form a 4- to 7-membered saturated heterocyclic ring that optionally further comprises a ring nitrogen, oxygen or sulphur

atom and that is optionally fused to a benzene ring to form a 8- to 11-membered ring system, the heterocyclic ring or ring system being optionally substituted with at least one substituent selected from halogen, hydroxyl, amido, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkylamino, di-C<sub>1</sub>-C<sub>6</sub> alkylamino, C<sub>1</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>1</sub>-C<sub>6</sub> alkylcarbonylamino, C<sub>1</sub>-C<sub>6</sub> alkylaminocarbonyl, di-C<sub>1</sub>-C<sub>6</sub> alkylaminocarbonyl, phenyl, halophenyl, phenylcarbonyl, phenylcarbonyloxy and hydroxydiphenylmethyl;

R<sup>12a</sup> represents a hydrogen atom or a C<sub>1</sub>-C<sub>6</sub> alkyl group;

~~R<sup>13</sup> represents a C<sub>1</sub>-C<sub>6</sub> alkyl, amino or phenyl group;~~

~~—R<sup>14</sup> and R<sup>15</sup> each independently represent a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylsulphonyl, phenyl or a saturated or unsaturated 5 to 10 membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>—or~~  
~~—R<sup>14</sup> and R<sup>15</sup> together with the nitrogen atom to which they are attached form a 4 to 7 membered saturated heterocyclic ring that optionally further comprises a ring nitrogen, oxygen or sulphur atom, the heterocyclic ring being optionally substituted by at least one hydroxyl; and~~  
~~—R<sup>16</sup> represents a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, phenyl or a saturated or unsaturated 5 to 10 membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>;~~

or a pharmaceutically acceptable salt thereof.

2. **(Currently amended)** A compound according to claim 1, wherein

m is 0, 1, 2, 3 or 4;

each R<sup>1</sup> independently represents halogen, cyano, hydroxyl, C<sub>1</sub>-C<sub>6</sub> alkyl,

C<sub>1</sub>-C<sub>6</sub> alkoxy or sulphonamido;

either X represents a bond, -CH<sub>2</sub>-, -O- or -C(O)- and Y represents a bond, -CH<sub>2</sub>-, -O- or -C(O)-, or X and Y together represent a group -CH=C(CH<sub>3</sub>)- or -C(CH<sub>3</sub>)=CH-, and Z represents a bond, -O-, -NH- or -CH<sub>2</sub>-, provided that only one of X, Y and Z can represent a bond at any one time and provided that X and Y do not both simultaneously represent -O- or -C(O)-;

n is 0, 1 or 2;

each R<sup>2</sup> independently represents halogen or C<sub>1</sub>-C<sub>6</sub> alkyl;

q is 0 or 1;

R<sup>3</sup> represents ~~NHC(O)R<sup>10</sup>~~, -C(O)NR<sup>11</sup>R<sup>12</sup> or -COOR<sup>12a</sup>;

R<sup>4</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup> and R<sup>8</sup> each independently represent a hydrogen atom or a C<sub>1</sub>-C<sub>6</sub> alkyl group;

t is 0, 1 or 2;

each R<sup>9</sup> independently represents halogen, cyano, hydroxyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkyl, or C<sub>1</sub>-C<sub>6</sub> alkyl optionally substituted by at least one substituent selected from carboxyl and C<sub>1</sub>-C<sub>6</sub> alkoxycarbonyl;

~~R<sup>10</sup> represents a group C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, adamantyl, C<sub>5</sub>-C<sub>6</sub> cycloalkenyl, phenyl or a saturated or unsaturated 5- to 10-membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each of which may be optionally substituted by one or more substituents independently selected from nitro, hydroxyl, oxo, halogen, carboxyl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> alkylthio, C<sub>1</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>1</sub>-C<sub>6</sub> alkoxy carbonyl, phenyl and NHC(O)R<sup>13</sup>, or~~

~~—R<sup>10</sup> represents a group NR<sup>14</sup>R<sup>15</sup> or OR<sup>16</sup>;~~

R<sup>11</sup> and R<sup>12</sup> each independently represent (i) a hydrogen atom, (ii) a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, the ring being optionally substituted with at least one substituent selected from halogen, methyl and trifluoromethyl, or  
(iii) a C<sub>1</sub>-C<sub>6</sub> alkyl group optionally substituted by at least one substituent selected from halogen,

amino, hydroxyl, trifluoromethyl, carboxyl, C<sub>1</sub>-C<sub>6</sub> alkoxy carbonyl and a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, the ring being optionally substituted with at least one substituent selected from halogen, methyl and trifluoromethyl, or  
R<sup>11</sup> and R<sup>12</sup> together with the nitrogen atom to which they are attached form a 4- to 7-membered saturated heterocyclic ring optionally further comprising a ring oxygen atom, the heterocyclic ring being optionally substituted with at least one substituent selected from hydroxyl and C<sub>1</sub>-C<sub>6</sub> alkoxy;

R<sup>12a</sup> represents a hydrogen atom or a C<sub>1</sub>-C<sub>6</sub> alkyl group;

~~R<sup>13</sup> represents a C<sub>1</sub>-C<sub>6</sub> alkyl, amino or phenyl group;~~

~~—R<sup>14</sup> and R<sup>15</sup> each independently represent a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, phenyl or a saturated or unsaturated 5- to 10-membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>, or~~

~~—R<sup>14</sup> and R<sup>15</sup> together with the nitrogen atom to which they are attached form a 4- to 7-membered saturated heterocycle; and~~

~~—R<sup>16</sup> represents a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, phenyl or a saturated or unsaturated 5- to 10-membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>;~~

or a pharmaceutically acceptable salt thereof.

3. **(Previously presented)** A compound according to claim 1, wherein X and Y have the meanings shown in the following table:

X	Y
bond	O
O	bond
CH <sub>2</sub>	bond
bond	CH <sub>2</sub>
CH <sub>2</sub>	O
O	CH <sub>2</sub>
C(O)	O
O	C(O)
CH <sub>2</sub>	CH <sub>2</sub>
-CH=C(CH <sub>3</sub> )-	

4. **(Previously presented)** A compound according to claim 1, wherein Z represents a bond, -O- or -CH<sub>2</sub>-.

5. **(Currently amended)** A compound according to claim 1, wherein R<sup>3</sup> represents -NHC(O)R<sup>10</sup> or -C(O)NR<sup>11</sup>R<sup>12</sup>.

6. **(Previously presented)** A compound according to claim 1, wherein t is 0, 1 or 2.

7. **(Previously presented)** A compound according to claim 1, wherein each R<sup>9</sup> independently represents halogen, hydroxyl, carboxyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub> haloalkyl or C<sub>1</sub>-C<sub>4</sub> alkyl.

8. **(Currently amended)** A compound according to claim 1 selected from:

~~*N*-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~  
~~— *N*-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-fluorophenyl)acetamide,~~

~~*N*-(2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methoxyphenyl)acetamide,~~~~

~~——*N*-(2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)acetamide,~~~~

~~——*N*-(2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-5-(trifluoromethyl)phenyl)acetamide,~~~~

2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropylbenzamide,~~

2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-fluorobenzamide,~~

2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-methoxybenzamide,~~

~~*N*-(2-~~[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy}-4-hydroxyphenyl)acetamide trifluoroacetate,~~~~

~~——*N*-(5-Chloro-2-~~[(2*S*)-3-(6-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~~~

~~——*N*-(2-~~[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-fluorophenyl)acetamide,~~~~

~~——*N*-(2-~~[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~~~

~~——*N*-(2-~~[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methoxyphenyl)acetamide,~~~~

2-~~[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-fluorobenzamide,~~

~~*N*-(2-~~[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]phenyl)acetamide,~~~~

~~*N*-(4-Chloro-2-(((2*S*)-2-hydroxy-3-(3-oxo-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl)oxy)phenyl)acetamide,~~

~~*N*-Cyclopropyl-2-([(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy)benzamide,~~

~~*N*-(4-Chloro-2-([(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy)phenyl)acetamide,~~

~~—————*N*-(5-Chloro-2-([(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy)phenyl)acetamide,~~

~~—————*N*-(2-([(2*S*)-2-hydroxy-2-methyl-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy)-4-methoxyphenyl)acetamide,~~

~~—————*N*-(2-([(2*S*)-2-Hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy)-5-(trifluoromethyl)phenyl)acetamide,~~

~~—————*N*-(2-([(2*S*)-2-Hydroxy-3-(2-methyl-1'*H*-spiro[indene-1,4'-piperidin]-1'-yl)propyl]oxy)phenyl)acetamide,~~

~~—————*N*-(2-([(2*S*)-3-(2,3-Dihydro-1'*H*-spiro[indene-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)acetamide,~~

~~—————*N*-(2-([(2*S*)-2-Hydroxy-3-(2-oxo-1'*H*-spiro[1-benzofuran-3,4'-piperidin]-1'-yl)propyl]oxy)phenyl)acetamide,~~

~~2-([(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-*N*-cyclopropyl-4-hydroxybenzamide,~~

~~2-([(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy)-*N*-cyclopropyl-4-hydroxybenzamide,~~

~~2-([(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy)-4-hydroxy-*N*-methylbenzamide (trifluoroacetate),~~

~~2-([(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy]oxy)-4-hydroxy-*N*-methylbenzamide,~~



~~*N*-(2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxyphenyl)acetamide trifluoroacetate,

~~*N*-(2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy~~)-4-hydroxyphenyl)acetamide trifluoroacetate,

~~*N*-(4-Hydroxy-2-~~[[~~(2*S*)-2-hydroxy-3-(1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)propyl]oxy~~)-phenyl)acetamide trifluoroacetate,

~~*N*-(4-Hydroxy-2-~~[[~~(2*S*)-2-hydroxy-2-methyl-3-(1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)propyl]oxy~~)-phenyl)acetamide trifluoroacetate,

~~—————*N*-(2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxyphenyl)acetamide,

~~—————*N*-(2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-phenyl)acetamide,

~~2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxy-*N*-methylbenzamide,

~~2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxy-2-methoxypropyl]oxy~~)-*N*-cyclopropyl-4-hydroxybenzamide,

~~2-~~[[~~(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxy-*N*-(2-hydroxyethyl)benzamide,

~~*N*-(2-Aminoethyl)-2-~~[[~~(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxybenzamide,

~~2-~~[[~~(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxy-*N*-methylbenzamide,

~~*N*-(2-~~[[~~(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-4-hydroxyphenyl)acetamide,

~~—————*N*-(2-~~[[~~(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy~~)-phenyl)acetamide,

~~*N* [2 - ({(2S) - 3 [(2S) - 5 Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 3' - pyrrolidin] - 1' - yl] - 2 - hydroxypropyl} oxy) phenyl] acetamide,~~

~~———— *N* [2 - ({(2S) - 3 [(2R) - 5 Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 3' - pyrrolidin] - 1' - yl] - 2 - hydroxypropyl} oxy) phenyl] acetamide,~~

~~———— *N* [2 - ({(2S) - 3 [(2S) - 5 Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 3' - pyrrolidin] - 1' - yl] - 2 - hydroxypropyl} oxy) - 4 - methoxyphenyl] acetamide,~~

~~———— *N* [2 - ({(2S) - 3 [(2R) - 5 Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 3' - pyrrolidin] - 1' - yl] - 2 - hydroxypropyl} oxy) - 4 - methoxyphenyl] acetamide,~~

2 - {[ (2S) - 3 - (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 3' - pyrrolidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - hydroxy - *N* - methylbenzamide,

2 - {[ (2S) - 3 - (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - hydroxybenzoic acid (trifluoroacetate),

3 (S) - 1 - (2 - {[ (2S) - 3 - (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - hydroxybenzoyl) pyrrolidin - 3 - ol,

3 (R) - 1 - (2 - {[ (2S) - 3 - (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - hydroxybenzoyl) pyrrolidin - 3 - ol,

3 - {[ (2S) - 3 - (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - (morpholin - 4 - ylcarbonyl) phenol,

and pharmaceutically acceptable salts of any one thereof.

9. **(Currently amended)** A compound according to claim 1 selected from:

~~*N* (2 - {[ (2S) - 3 (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} phenyl) acetamide,~~

~~———— *N* (2 - {[ (2S) - 3 (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - fluorophenyl) acetamide,~~

~~———— *N* (2 - {[ (2S) - 3 (5 - Chloro - 1'*H*, 3*H* - spiro [1 - benzofuran - 2, 4' - piperidin] - 1' - yl) - 2 - hydroxypropyl} oxy} - 4 - methoxyphenyl) acetamide,~~

~~*N*-(2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)acetamide,~~

~~— *N*-(2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-5-(trifluoromethyl)phenyl]acetamide,~~

~~2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropylbenzamide,~~

~~2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-fluorobenzamide,~~

~~2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-methoxybenzamide,~~

~~*N*-(2-[[[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy}-4-hydroxyphenyl)acetamide trifluoroacetate,~~

~~— *N*-(5-Chloro-2-[[[(2*S*)-3-(6-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~

~~— *N*-(2-[[[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-fluorophenyl)acetamide,~~

~~*N*-(2-[[[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~

~~— *N*-(2-[[[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methoxyphenyl)acetamide,~~

~~2-[[[(2*S*)-3-(6-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopropyl-4-fluorobenzamide,~~

~~*N*-(2-[[[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]phenyl)acetamide,~~

~~— *N*-(4-Chloro-2-[[[(2*S*)-2-hydroxy-3-(3-oxo-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}phenyl)acetamide,~~

*N*-Cyclopropyl-2-~~{[(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}~~benzamide,

~~*N*-(4-Chloro-2-~~{[(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide,~~

~~———— *N*-(5-Chloro-2-~~{[(2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide,~~

~~———— *N*-(2-~~{[(2*S*)-2-hydroxy-2-methyl-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}~~-4-methoxyphenyl)acetamide,~~

~~———— *N*-(2-~~{[(2*S*)-2-Hydroxy-3-(1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)propyl]oxy}~~-5-(trifluoromethyl)phenyl)acetamide,~~

~~———— *N*-(2-~~{[(2*S*)-2-Hydroxy-3-(2-methyl-1'*H*-spiro[indene-1,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide,~~

~~———— *N*-(2-~~{[(2*S*)-3-(2,3-Dihydro-1'*H*-spiro[indene-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~phenyl)acetamide,~~

~~———— *N*-(2-~~{[(2*S*)-2-Hydroxy-3-(2-oxo-1'*H*-spiro[1-benzofuran-3,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide,~~

2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-*N*-cyclopropyl-4-hydroxybenzamide,

2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy}~~-*N*-cyclopropyl-4-hydroxybenzamide,

~~*N*-(4-hydroxy-2-~~{[(2*S*)-2-hydroxy-3-(1'*H*,4*H*-spiro[chromene-3,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide,~~

2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy}~~-4-hydroxy-*N*-methylbenzamide (trifluoroacetate),

2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxy]oxy}~~-4-hydroxy-*N*-methylbenzamide,

~~*N*-(2-~~{[(2*S*)-3-(5-Chloro-1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxyphenyl)acetamide trifluoroacetate,~~

~~*N*-(2-~~{[(2*S*)-3-(5-Chloro-1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl]oxy}~~-4-hydroxyphenyl)acetamide trifluoroacetate,~~

~~*N*-(4-Hydroxy-2-~~{[(2*S*)-2-hydroxy-3-(1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide trifluoroacetate,~~

~~*N*-(4-Hydroxy-2-~~{[(2*S*)-2-hydroxy-2-methyl-3-(1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)propyl]oxy}~~phenyl)acetamide trifluoroacetate,~~

~~— *N*-(2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxyphenyl)acetamide,~~

~~— *N*-(2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~phenyl)acetamide,~~

~~2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxy-*N*-methylbenzamide,~~

~~2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxy-2-methoxypropyl]oxy}~~-*N*-cyclopropyl-4-hydroxybenzamide,~~

~~2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxy-*N*-(2-hydroxyethyl)benzamide,~~

~~*N*-(2-Aminoethyl)-2-~~{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxybenzamide,~~

~~2-~~{[(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxy-*N*-(2-hydroxyethyl)benzamide,~~

~~*N*-(2-~~{[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-hydroxyphenyl)acetamide,~~

~~— *N*-(2-~~{[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~phenyl)acetamide,~~

~~*N* [2-(((2*S*)-3-((2*S*)-5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl)-2-hydroxypropyl)oxy)phenyl]acetamide,~~

~~— *N* [2-(((2*S*)-3-((2*R*)-5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl)-2-hydroxypropyl)oxy)phenyl]acetamide,~~

~~— *N* [2-(((2*S*)-3-((2*S*)-5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl)-2-hydroxypropyl)oxy)-4-methoxyphenyl]acetamide,~~

~~— *N* [2-(((2*S*)-3-((2*R*)-5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl)-2-hydroxypropyl)oxy)-4-methoxyphenyl]acetamide,~~

2-{{{(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl)-2-hydroxypropyl}oxy}-4-hydroxy-*N*-methylbenzamide,

2-{{{(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-4-hydroxybenzoic acid (trifluoroacetate),

3(*S*)-1-(2-{{{(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-4-hydroxybenzoyl)pyrrolidin-3-ol,

3(*R*)-1-(2-{{{(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-4-hydroxybenzoyl)pyrrolidin-3-ol,

3-{{{(2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-4-(morpholin-4-ylcarbonyl)phenol,

2-{{{(2*S*)-3-(5-chloro-1'*H*-spiro[1,3-benzodioxole-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-*N*-methylbenzamide trifluoroacetate,

~~*N* (2-{{{(2*S*)-3-(6-chloro-3,4-dihydro-1'*H*-spiro[chromene-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}phenyl)acetamide trifluoroacetate,~~

~~— *N* (2-{{{(2*S*)-3-(6-chloro-3,4-dihydro-1'*H*-spiro[chromene-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-4-fluorophenyl)acetamide trifluoroacetate,~~

2-{{{(2*S*)-3-(6-chloro-3,4-dihydro-1'*H*-spiro[chromene-2,4'-piperidin]-1'-yl)-2-hydroxypropyl}oxy}-*N*-methylbenzamide trifluoroacetate,

~~*N*-(2-(((2*S*)-3-(6-chloro-3,4-dihydro-1*H*-spiro[chromene-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-hydroxyphenyl)acetamide trifluoroacetate,~~

~~———*N*-(2-(((2*S*)-3-(6-chloro-3,4-dihydro-1*H*-spiro[chromene-2,4'-piperidin]-1'-yl)-2-hydroxy-2-methylpropyl)oxy)-4-hydroxyphenyl)acetamide trifluoroacetate,~~

~~———*N*-(2-(((2*S*)-3-[(2*R*)-5-chloro-1''*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl]-2-hydroxypropyl)oxy)-4-hydroxyphenyl)acetamide,~~

~~———*N*-(2-(((2*S*)-3-[(2*S*)-5-chloro-1''*H*,3*H*-spiro[1-benzofuran-2,3'-pyrrolidin]-1'-yl]-2-hydroxypropyl)oxy)-4-hydroxyphenyl)acetamide,~~

3-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-(pyrrolidin-1-ylcarbonyl)phenol,

1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-hydroxybenzoyl)piperidin-4-ol,

(3*S*)-1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)benzoyl)pyrrolidin-3-ol,

3-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-(piperidin-1-ylcarbonyl)phenol,

(3*S*)-1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-hydroxybenzoyl)pyrrolidin-3-ol,

1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-hydroxybenzoyl)piperidin-4-ol,

~~*N*-(4-Hydroxy-2-(((2*S*)-2-hydroxy-3-[5-(trifluoromethyl)-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl]propyl)oxy)phenyl)acetamide,~~

(3*S*)-1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-hydroxybenzoyl)pyrrolidin-3-ylbenzoate,

(3*S*)-1-(2-(((2*S*)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy)-4-fluorobenzoyl)pyrrolidin-3-ol,

(3S)-1-[4-Hydroxy-2-({(2S)-2-hydroxy-3-[5-(trifluoromethyl)-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl]propyl}oxy)benzoyl]pyrrolidin-3-ol,

(3S)-1-(4-Fluoro-2-{{[(2S)-2-hydroxy-3-(1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl]oxy}benzoyl)pyrrolidin-3-ol,

4-Fluoro-2-{{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}benzoic acid (hydrochloride),

(3S)-1-(4-Fluoro-2-{{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}benzoyl)pyrrolidin-3-ol,

*N*-[(3S)-1-(2-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)pyrrolidin-3-yl]acetamide,

2-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methylbenzoic acid hydrochloride,

(3S)-1-(2-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}}-4-methylbenzoyl)pyrrolidin-3-ol,

2-{{[(2S)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methylbenzoic acid hydrochloride,

(2S)-1-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-3-(2-{{[2-(hydroxymethyl)morpholin-4-yl]carbonyl}-5-methylphenoxy})propan-2-ol,

(3S)-1-(2-{{[(2S)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methylbenzoyl)pyrrolidin-3-ol,

2-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-{{[(4*R*)-2,5-dioxoimidazolidin-4-yl]methyl}-4-hydroxybenzamide,

1-(2-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)-3-(trifluoromethyl)pyrrolidin-3-ol,

3-{{[(2S)-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-{{[3-(trifluoromethyl)pyrrolidin-1-yl]carbonyl} phenol,



*N*-[2-(Acetylamino)ethyl]-2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy]-4-hydroxybenzamide,

~~*N*-(5-chloro-2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-methoxyphenyl)acetamide,~~

~~(3*S*)-*N*-(5-chloro-2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)-3-hydroxypyrrolidine-1-carboxamide,~~

~~(3*S*)-*N*-(2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)-3-hydroxypyrrolidine-1-carboxamide,~~

~~—————*N*-(2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)-4-hydroxypiperidine-1-carboxamide,~~

~~*N*-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)urea-trifluoroacetate,~~

~~—————*N*-(2-[[*(2S)*-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxyphenyl)urea-trifluoroacetate,~~

~~—————*N*-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-fluorophenyl)urea-trifluoroacetate,~~

~~*N*-{[(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxyphenyl]amino]carbonyl}methanesulfonamide-trifluoroacetate,~~

~~(4*S*)-2-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxybenzoyl)isoxazolidin-4-ol trifluoroacetate,~~

~~(4*R*)-2-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxybenzoyl)isoxazolidin-4-ol trifluoroacetate,~~

~~(4*S*)-2-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxybenzoyl)-4-methylisoxazolidin-4-ol trifluoroacetate,~~

~~(4*R*)-2-(2-[[*(2S)*-3-(5-Chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxybenzoyl)-4-methylisoxazolidin-4-ol trifluoroacetate,~~

2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-*N*-(methylsulfonyl)benzamide trifluoroacetate,

2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-*N*-1*H*-tetrazol-5-ylbenzamide bis(trifluoroacetate),

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ (3*R*)-3-(dimethylamino)pyrrolidin-1-yl]carbonyl }phenol bis(trifluoroacetate),

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ (3*S*)-3-(dimethylamino)pyrrolidin-1-yl]carbonyl }phenol bis(trifluoroacetate),

(3*S*)-1-(5-chloro-2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)pyrrolidin-3-ol trifluoroacetate,

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ (3*S*)-3-methoxypyrrolidin-1-yl]carbonyl }phenol trifluoroacetate,

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ (2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]carbonyl }phenol trifluoroacetate,

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ (2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]carbonyl }phenol trifluoroacetate,

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ 3-(hydroxymethyl)pyrrolidin-1-yl]carbonyl }phenol trifluoroacetate,

1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)-*D*-prolinamide trifluoroacetate,

~~*N*-(4-hydroxy-2- {[ (2*S*)-2-hydroxy-3-(1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl]oxy }phenyl)acetamide trifluoroacetate,~~

~~N-(4-hydroxy-2-(((2S)-2-hydroxy-3-(5-methyl-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl)oxy}phenyl)acetamide-trifluoroacetate,~~

~~N-(5-chloro-2-(((2S)-2-hydroxy-3-(1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl)oxy}-4-methoxyphenyl)acetamide-trifluoroacetate,~~

~~——N-(5-chloro-4-hydroxy-2-(((2S)-2-hydroxy-3-(1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl)oxy}phenyl)acetamide-trifluoroacetate,~~

~~(3S)-N-(2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-4-methoxyphenyl)-3-hydroxypyrrolidine-1-carboxamide-trifluoroacetate,~~

~~——(3S)-N-(2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-4-hydroxyphenyl)-3-hydroxypyrrolidine-1-carboxamide-trifluoroacetate,~~

~~(3S)-1-(4-hydroxy-2-(((2S)-2-hydroxy-3-(1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl)oxy}benzoyl)pyrrolidin-3-ol-trifluoroacetate,~~

~~2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-5-methylbenzoic acid hydrochloride,~~

~~2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-4-methoxybenzoic acid hydrochloride,~~

~~(3S)-1-(2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-5-methylbenzoyl)pyrrolidin-3-ol-trifluoroacetate,~~

~~(3S)-1-(2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-4-methoxybenzoyl)pyrrolidin-3-ol-trifluoroacetate,~~

~~5-chloro-2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}benzoic acid hydrochloride,~~

~~(3S)-1-(5-chloro-2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}benzoyl)pyrrolidin-3-ol-trifluoroacetate,~~

~~2-(((2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl)oxy}-5-fluorobenzoic acid hydrochloride,~~

(3S)-1-(2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-5-fluorobenzoyl)pyrrolidin-3-ol trifluoroacetate,

~~N-(2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)phenyl)pyrrolidine-1-carboxamide trifluoroacetate,~~

~~Methyl 4-(acetylamino)-3-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)benzoate trifluoroacetate,~~

~~4-(acetylamino)-3-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)benzoic acid trifluoroacetate,~~

~~N-(2-([(2S)-3-(5-chloro-3'-fluoro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxyphenyl)acetamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-(2-hydroxypropyl)benzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-(2-hydroxy-1,1-dimethylethyl)benzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-N-cyclopentyl-4-hydroxybenzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-(2-methoxyethyl)benzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-(2-hydroxyphenyl)benzamide,~~

~~N-(tert-butyl)-2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxybenzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-(2-hydroxy-1-methylethyl)benzamide,~~

~~2-([(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy)-4-hydroxy-N-isobutylbenzamide,~~

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-(4-hydroxycyclohexyl)benzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N-(2,3-dihydroxypropyl)-4-hydroxybenzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-(2-hydroxyethyl)-N-methylbenzamide,

Methyl *N*-(2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)serinate,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N-(1-ethylpropyl)-4-hydroxybenzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-(tetrahydrofuran-2-ylmethyl)benzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-[1-(hydroxymethyl)-2,2-dimethylpropyl]benzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N- {[ (1S,2R,5S)-6,6-dimethylbicyclo[3.1.1]hept-2-yl]methyl }-4-hydroxybenzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-[1-(hydroxymethyl)-2-methylpropyl]benzamide,

3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ 4-(2-hydroxyethyl)piperazin-1-yl]carbonyl }phenol,

3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[ 3-(hydroxymethyl)piperidin-1-yl]carbonyl }phenol,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N-[5-(1,1-dimethylpropyl)-2-hydroxyphenyl]-4-hydroxybenzamide,

2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-[3-(1-hydroxyethyl)phenyl]benzamide,

2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-N-(cyclopropylmethyl)-4-hydroxybenzamide,

2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-N-pyrrolidin-1-ylbenzamide,

*N*-[(1R,4S)-bicyclo[2.2.1]hept-2-yl]-2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzamide,

4-(4-chlorophenyl)-1-(2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)piperidin-4-ol,

2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-N-(2-hydroxy-1-phenylethyl)benzamide,

1-(2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)-4-phenylpiperidin-4-ol,

3-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenol,

3-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-{[2-(hydroxymethyl)piperidin-1-yl]carbonyl}phenol,

1-(2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)-N,N-dimethylprolinamide,

Methyl (4R)-1-(2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)-4-hydroxyprolinate,

(3R)-1-(2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)piperidin-3-ol,

2-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-N-(2-hydroxycyclohexyl)benzamide,

3-{[(2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-[(4-phenylpiperidin-1-yl)carbonyl]phenol,

3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-(thiomorpholin-4-ylcarbonyl)phenol,  
1-(2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)piperidin-3-ol,  
2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N-(cyclopropylmethyl)-4-hydroxy-N-propylbenzamide,  
2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N,N-diisobutylbenzamide,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenol,  
N-(2-tert-butoxyethyl)-2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-isobutylbenzamide,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-[(4-fluoropiperidin-1-yl)carbonyl]phenol,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-[(4,4-difluoropiperidin-1-yl)carbonyl]phenol,  
2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-N-phenylbenzamide,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-((2R)-2-[hydroxy(diphenyl)methyl]pyrrolidin-1-yl)carbonyl)phenol,  
2- {[ (2S)-3-(5-chloro-1'H,3H-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxy-N-(2-hydroxyethyl)-N-methylbenzamide,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-(pyrrolidin-1-ylcarbonyl)phenol,  
3- {[ (2S)-3-(5-chloro-1'H,3H-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-[[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl]phenol,

3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[3-(hydroxymethyl)piperidin-1-yl]carbonyl}phenol,  
4-(4-chlorophenyl)-1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)piperidin-4-ol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[4-(hydroxymethyl)piperidin-1-yl]carbonyl}phenol,  
1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)-4-phenylpiperidin-4-ol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-(3,4-dihydroisoquinolin-2(1*H*)-ylcarbonyl)phenol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[2-(hydroxymethyl)piperidin-1-yl]carbonyl}phenol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4- {[3-(dimethylamino)pyrrolidin-1-yl]carbonyl}phenol,  
1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)-*N,N*-dimethylprolinamide,  
2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-*N*-cyclohexyl-4-hydroxy-*N*-(2-hydroxyethyl)benzamide,  
Methyl (4*R*)-1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)-4-hydroxyprolinate,  
(3*R*)-1-(2- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-hydroxybenzoyl)piperidin-3-ol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-[(4-phenylpiperidin-1-yl)carbonyl]phenol,  
3- {[ (2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy }-4-(thiomorpholin-4-ylcarbonyl)phenol,



1-(2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)piperidin-3-ol,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-(cyclopropylmethyl)-4-hydroxy-*N*-propylbenzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N,N*-diisobutylbenzamide,  
3-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-(1,3-dihydro-2*H*-isoindol-2-ylcarbonyl)phenol,  
*N*-(2-*tert*-butoxyethyl)-2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-isobutylbenzamide,  
3-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-[(4-fluoropiperidin-1-yl)carbonyl]phenol,  
3-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-[(4,4-difluoropiperidin-1-yl)carbonyl]phenol,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxypropyl)benzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxy-1,1-dimethylethyl)benzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-cyclopentyl-4-hydroxybenzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-methoxyethyl)benzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxyphenyl)benzamide,  
2-{{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-isobutylbenzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxyethyl)benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(4-hydroxycyclohexyl)benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-(2,3-dihydroxypropyl)-4-hydroxybenzamide,

Methyl *N*-(2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)serinate,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-(1-ethylpropyl)-4-hydroxybenzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(tetrahydrofuran-2-ylmethyl)benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-[1-(hydroxymethyl)-2,2-dimethylpropyl]benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-[1-(hydroxymethyl)-2-methylpropyl]benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-[3-(1-hydroxyethyl)phenyl]benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-*N*-(cyclopropylmethyl)-4-hydroxybenzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-pyrrolidin-1-ylbenzamide,

*N*-[(1*R*,4*S*)-bicyclo[2.2.1]hept-2-yl]-2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxy-1-phenylethyl)benzamide,

2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[2-benzofuran-1,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxy-*N*-(2-hydroxycyclohexyl)benzamide,

1-(2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)pyrrolidine-3-carboxamide trifluoroacetate,

1-(2-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxybenzoyl)-*L*-prolinamide trifluoroacetate,

2-chloro-5-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-{[(3*R*)-3-(dimethylamino)pyrrolidin-1-yl]carbonyl}phenol bis(trifluoroacetate),

2-chloro-5-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-{[(3*R*)-3-(hydroxymethyl)pyrrolidin-1-yl]carbonyl}phenol trifluoroacetate,

2-chloro-5-{[(2*S*)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-{[(3*S*)-3-(hydroxymethyl)pyrrolidin-1-yl]carbonyl}phenol trifluoroacetate,

2-chloro-5-{[(2*S*)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-(pyrrolidin-1-ylcarbonyl)phenol trifluoroacetate,

~~*N*-(2-{[(2*R*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-methoxyphenyl)acetamide,~~

Methyl 2-{[(2*S*)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}benzoate,

2-{[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}benzoic acid (hydrochloride),

(3*S*)-1-(2-{[(2*S*)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}benzoyl)pyrrolidin-3-ol,

3-~~{[(2S)-3-(5-Fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}~~-4-(pyrrolidin-1-ylcarbonyl)phenol,

~~*N*-(4-fluoro-2-{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)acetamide,~~

~~*N*-(5-chloro-2-[3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropoxy]-4-hydroxyphenyl)cyclopentanecarboxamide,~~

~~———— *N*-(5-chloro-2-[3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropoxy]-4-hydroxyphenyl)cyclopentanecarboxamide,~~

~~———— *N*-(5-chloro-4-hydroxy-2-[2-hydroxy-3-(1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propoxy]phenyl)cyclopentanecarboxamide,~~

~~*N*-(5-Chloro-2-{[(2S)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)benzamide trifluoroacetate,~~

~~*N*-(5-Chloro-2-{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)benzamide trifluoroacetate,~~

~~*N*-(5-Chloro-2-{[(2S)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)urea trifluoroacetate,~~

~~———— *N*-(5-Chloro-2-{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}-4-hydroxyphenyl)urea trifluoroacetate,~~

~~———— *N*-(5-chloro-2-{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)urea,~~

~~———— *N*-(5-chloro-2-{[(2S)-3-(5-chloro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)urea,~~

~~———— *N*-(2-{[(2S)-3-(5-fluoro-1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)urea,~~

~~———— *N*-(2-{[(2S)-2-hydroxy-3-(1'*H*,3*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl]oxy}phenyl)urea,~~


~~*N*-(4-fluoro-2-[[*(2S)*-3-(5-fluoro-1'*H*,3'*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)-2-hydroxypropyl]oxy}phenyl)urea,~~

~~— *N*-(4-fluoro-2-[[*(2S)*-2-hydroxy-3-(1'*H*,3'*H*-spiro[1-benzofuran-2,4'-piperidin]-1'-yl)propyl]oxy}phenyl)urea,~~


and pharmaceutically acceptable salts of any one thereof.

10. **(Currently amended)** A process for the preparation of a compound of formula (I) or a pharmaceutically acceptable salt thereof as defined in claim 1 which comprises,

(a) reacting a compound of formula




wherein  $m$ ,  $R^1$ ,  $n$ ,  $R^2$ ,  $q$ ,  $X$ ,  $Y$  and  $Z$  are as defined in claim 1, with a compound of formula




wherein  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^8$ ,  $t$  and  $R^9$  are as defined in claim 1; or

(b) reacting a compound of formula




wherein  $R^1$ ,  $n$ ,  $R^2$ ,  $q$ ,  $X$ ,  $Y$ ,  $Z$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  are as defined in claim 1, with a compound of formula




wherein  $R^3$ ,  $t$  and  $R^9$  are as defined in claim 1, in the presence of a suitable base; or


(e) —when  $R^3$  represents  $\text{NHC(O)R}^{10}$ , reacting a compound of formula



wherein  $m$ ,  $R^1$ ,  $n$ ,  $R^2$ ,  $q$ ,  $X$ ,  $Y$ ,  $Z$ ,  $R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$ ,  $R^8$ ,  $t$  and  $R^9$  are as defined in claim 1, with a compound of formula



wherein  $L^1$  represents a leaving group and  $R^{10}$  is as defined in claim 1; or  
 (d) (c) when  $R^3$  represents  $-C(O)NR^{11}R^{12}$ , reacting a compound of formula



wherein  $L^2$  represents a leaving group and  $m, R^1, n, R^2, q, X, Y, Z, R^4, R^5, R^6, R^7, R^8, t$  and  $R^9$  are as defined in formula (I), with a compound of formula (IX),  $NHR^{11}R^{12}$ , wherein  $R^{11}$  and  $R^{12}$  are as defined in formula (I); or


(e) ~~when  $R^3$  represents  $NHC(O)R^{10}$ ,  $R^{10}$  represents  $NR^{14}R^{15}$  and  $R^{14}$  and  $R^{15}$  both represent hydrogen, reacting a compound of formula (VI) as defined in (e) above with potassium cyanate;~~

and optionally after (a), (b), or (c), ~~(d) or (e)~~ forming a pharmaceutically acceptable salt.

11-12. **(Cancelled).**

13. **(Previously presented)** A pharmaceutical composition comprising a compound of formula (I) or a pharmaceutically acceptable salt thereof as claimed in claim 1 in association with a pharmaceutically acceptable adjuvant, diluent or carrier.

14. **(Currently amended)** A process for the preparation of a pharmaceutical composition comprising a compound of formula (I) or a pharmaceutically acceptable salt thereof in association with a pharmaceutically acceptable adjuvant, diluent or carrier which comprises mixing a compound of formula (I)



wherein

m is 0, 1, 2, 3 or 4;

each  $R^1$  independently represents halogen, cyano, hydroxyl,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  haloalkyl,  $C_1$ - $C_6$  alkoxy or sulphonamido;

either X represents a bond,  $-CH_2-$ ,  $-O-$  or  $-C(O)-$  and Y represents a bond,  $-CH_2-$ ,  $-O-$  or  $-C(O)-$ , or X and Y together represent a group  $-CH=C(CH_3)-$  or  $-C(CH_3)=CH-$ , and Z represents a bond,  $-O-$ ,  $-NH-$  or  $-CH_2-$ , provided that only one of X, Y and Z can represent a bond at any one time and provided that X and Y do not both simultaneously represent  $-O-$  or  $-C(O)-$ ;

n is 0, 1 or 2;

each  $R^2$  independently represents halogen or  $C_1$ - $C_6$  alkyl;

q is 0 or 1;

$R^3$  represents  $-NHC(O)R^{10}$ ,  $-C(O)NR^{11}R^{12}$  or  $-COOR^{12a}$ ;

$R^4$ ,  $R^5$ ,  $R^6$ ,  $R^7$  and  $R^8$  each independently represent a hydrogen atom or a  $C_1$ - $C_6$  alkyl group;

t is 0, 1 or 2;



each  $R^9$  independently represents halogen, cyano, hydroxyl, carboxyl,  $C_1$ - $C_6$  alkoxy,  $C_1$ - $C_6$  alkoxy carbonyl,  $C_1$ - $C_6$  haloalkyl, or  $C_1$ - $C_6$  alkyl optionally substituted by at least one substituent selected from carboxyl and  $C_1$ - $C_6$  alkoxy carbonyl;

~~$R^{10}$  represents a group  $C_1$ - $C_6$  alkyl,  $C_2$ - $C_6$  alkenyl,  $C_3$ - $C_6$  cycloalkyl, adamantyl,  $C_5$ - $C_6$  cycloalkenyl, phenyl or a saturated or unsaturated 5 to 10-membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each of which may be optionally substituted by one or more substituents independently selected from nitro, hydroxyl, oxo, halogen, carboxyl,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  alkoxy,  $C_1$ - $C_6$  alkylthio,  $C_1$ - $C_6$  alkyl carbonyl,  $C_1$ - $C_6$  alkoxy carbonyl, phenyl and  $NHC(O)R^{13}$ , or~~

~~—  $R^{10}$  represents a group  $NR^{14}R^{15}$  or  $OR^{16}$ ;~~

$R^{11}$  and  $R^{12}$  each independently represent (i) a hydrogen atom, (ii) a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur and optionally further comprising a bridging group, the ring being optionally substituted with at least one substituent selected from halogen, hydroxyl,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  hydroxyalkyl and  $C_1$ - $C_6$  haloalkyl, (iii) a  $C_1$ - $C_6$  alkyl group optionally substituted by at least one substituent selected from halogen, amino, hydroxyl,  $C_1$ - $C_6$  haloalkyl, carboxyl,  $C_1$ - $C_6$  alkoxy,  $C_1$ - $C_6$  alkoxy carbonyl,  $C_1$ - $C_6$  alkyl carbonyl amino and a 3- to 6-membered saturated or unsaturated ring optionally comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur and optionally further comprising a bridging group, the ring being optionally substituted with at least one substituent selected from halogen, hydroxyl, oxo (=O),  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  hydroxyalkyl and  $C_1$ - $C_6$  haloalkyl, or (iv)  $C_1$ - $C_6$  alkylsulphonyl, or  $R^{11}$  and  $R^{12}$  together with the nitrogen atom to which they are attached form a 4- to 7-membered saturated heterocyclic ring that optionally further comprises a ring nitrogen, oxygen or sulphur atom and that is optionally fused to a benzene ring to form a 8- to 11-membered ring system, the heterocyclic ring or ring system being optionally substituted with at least one substituent selected from halogen, hydroxyl, amido,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  hydroxyalkyl,  $C_1$ - $C_6$  alkoxy,

C<sub>1</sub>-C<sub>6</sub> alkoxy carbonyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>1</sub>-C<sub>6</sub> alkylamino, di-C<sub>1</sub>-C<sub>6</sub> alkylamino, C<sub>1</sub>-C<sub>6</sub> alkyl carbonyl, C<sub>1</sub>-C<sub>6</sub> alkyl carbonylamino, C<sub>1</sub>-C<sub>6</sub> alkyl aminocarbonyl, di-C<sub>1</sub>-C<sub>6</sub> alkyl aminocarbonyl, phenyl, halophenyl, phenyl carbonyl, phenyl carbonyloxy and hydroxydiphenylmethyl;

R<sup>12a</sup> represents a hydrogen atom or a C<sub>1</sub>-C<sub>6</sub> alkyl group;

R<sup>13</sup> represents a C<sub>1</sub>-C<sub>6</sub> alkyl, amino or phenyl group;

~~—R<sup>14</sup> and R<sup>15</sup> each independently represent a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylsulphonyl, phenyl or a saturated or unsaturated 5 to 10 membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>, or —R<sup>14</sup> and R<sup>15</sup> together with the nitrogen atom to which they are attached form a 4 to 7 membered saturated heterocyclic ring that optionally further comprises a ring nitrogen, oxygen or sulphur atom, the heterocyclic ring being optionally substituted by at least one hydroxyl; and —R<sup>16</sup> represents a hydrogen atom, or a group C<sub>1</sub>-C<sub>6</sub> alkyl, phenyl or a saturated or unsaturated 5 to 10 membered heterocyclic ring system comprising at least one ring heteroatom selected from nitrogen, oxygen and sulphur, each group being optionally substituted as defined above for R<sup>10</sup>;~~

or a pharmaceutically acceptable salt thereof with a pharmaceutically acceptable adjuvant, diluent or carrier.

15-22. (Cancelled).